# **GFL3000 - GROUND FAULT LOCATOR**

## **INCLUDES**

- Receiver
- Receiver Frame
- Ground Stake
- ▶ Connection Clamps



#### **GFL3000**



The GFL 3000 Ground Fault Locator is a new low cost locator for contractors and maintenance personnel. Incorporating dual power output, the GFL3000 pinpoints ground faults where electrical voltage is being lost to ground. The GFL3000 transmits a powerful charge that is tracked by the receiver.

By simply going in the direction of the analog needle kicks on the receiver, the exact spot of the fault can be found. Simply connect the transmitter to ground and the wire to be analyzed and turn it on. Position the A-Frame parallel to the direction of the wire/cable, touching the ground with both metal stakes at the bottom of the frame and follow the kicks with the receiver using the visual analog meter.

The GFL3000 offers features not previously available at this price point. The GFL3000 features both high and low power capability and a simple reading on the battery power available.

### **SPECIFICATIONS**

> Power Requirements: 12 VDC

> Battery type: 12 V rechargeable (Included)

9 V NEDA (not included)

Power Ouput: 2400 or 3400 VDC selectable

Voltage Protection: 240 VAC/ 400 VDC

> Weight: Transmitter: 9 lbs w/ battery

A-Frame: 3 lbs.

Dimensions: 28.5" | x 4" w x 10.25" h

▶ Warranty: 12 months

#### **FEATURES**

Dual Power capabilities (Hi/Lo)

Audible "on" beeper

Battery power indicator

Custom molded case

Rechargeable battery